

Mapas cognitivos, memoria espacial y recursos alimenticios en monos aulladores negros en el Parque Nacional Palenque

Cognitive maps, spatial memory and food resources in black howler monkeys in Palenque National park

Literatura selecta relevante sobre el tema del Proyecto.

Estudios teoricos sobre mapas conginitvos / Theoretical studies on cognitive maps

- Bennett, A. T. (1996). Do animals have cognitive maps? *The journal of experimental biology*, 199(1), 219-224.
- Burgess, N. (2006). Spatial memory: how egocentric and allocentric combine. *Trends in cognitive sciences*, 10(12), 551-557.
- Charnov, E. L. (1976). Optimal foraging, the marginal value theorem. *Theoretical population biology*, 9(2), 129-136.
- Clutton-Brock, T. H., & Harvey, P. H. (1980). Primates, brains and ecology. *Journal of Zoology*, 190(3), 309-323.
- Fagan, W. F., Lewis, M. A., Auger-Méthé, M., Avgar, T., Benhamou, S., Breed, G., LaDage, L., Schlägel, U. E., Tang, W., Papastamatiou, Y. P., Forester, J. & Mueller, T. (2013). Spatial memory and animal movement. *Ecology Letters*, 16(10), 1316-1329.
- Gallistel, C. R. (1989). Animal cognition: The representation of space, time and number. *Annual review of psychology*, 40(1), 155-189.
- Garber, P. A., & Dolins, F. L. (2014). Primate spatial strategies and cognition: Introduction to this special issue. *American journal of primatology*, 76(5), 393- 398.
- Jacobs, L. F., & Menzel, R. (2014). Navigation outside of the box: what the lab can learn from the field and what the field can learn from the lab. *Movement Ecology*, 2(1), 3.
- Martin, R. D. (1981). Relative brain size and basal metabolic rate in terrestrial vertebrates. *Nature*, 293(5827), 57-60.
- Milton, K. (1981). Distribution patterns of tropical plant foods as an evolutionary stimulus to primate mental development. *American Anthropologist*, 83(3), 534- 548.
- O'Keefe, J., & Nadel, L. (1979). The hippocampus as a cognitive map. *Behavioral and Brain Sciences*, 2(04), 487-494.
- Poucet, B. (1993). Spatial cognitive maps in animals: new hypotheses on their structure and neural mechanisms. *Psychological review*, 100(2), 163.
- Tolman, E. C. (1948). Cognitive maps in rats and men. *Psychological review*, 55(4), 189.

Neurophysiological basis of navigation / Bases neurofisiológicas de la navegación

- Aronov, D., Nevers, R., & Tank, D. W. (2017). Mapping of a non-spatial dimension by the hippocampal-entorhinal circuit. *Nature*, 543(7647), 719-722.
- Chen, G., King, J. A., Burgess, N., & O'Keefe, J. (2013). How vision and movement combine in the hippocampal place code. *Proceedings of the National Academy of Sciences*, 110(1), 378-383.
- Evans, T., Bicanski, A., Bush, D., & Burgess, N. (2016). How environment and self-motion combine in neural representations of space. *The Journal of physiology*, 594(22), 6535-6546.
- Killian, N. J., Jutras, M. J., & Buffalo, E. A. (2012). A map of visual space in the primate entorhinal cortex. *Nature*, 491(7426), 761.
- Moser, E. I., Kropff, E., & Moser, M. B. (2008). Place cells, grid cells, and the brain's spatial representation system. *Annual review of neuroscience*, 31.
- Moser, E. I., Roudi, Y., Witter, M. P., Kentros, C., Bonhoeffer, T., & Moser, M. B. (2014). Grid cells and cortical representation. *Nature reviews. Neuroscience*, 15(7), 466.

Pfeiffer, B. E., & Foster, D. J. (2013). Hippocampal place cell sequences depict future paths to remembered goals. *Nature*, 497(7447), 74.

Schmidt, B., & Redish, A. D. (2013). Navigation with a cognitive map. *Nature*, 497(7447), 42.

Cognición y navegación espacial / Gognition and spatial navigation

Byrne, R. W., Bates, L., & Moss, C. J. (2009). Elephant cognition in primate perspective. *Comparative Cognition & Behavior Reviews*.

Geva-Sagiv, M., Las, L., Yovel, Y., & Ulanovsky, N. (2015). Spatial cognition in bats and rats: from sensory acquisition to multiscale maps and navigation. *Nature Reviews Neuroscience*, 16(2), 94.

Jacobs, L. F. (2012). From chemotaxis to the cognitive map: the function of olfaction. *Proceedings of the National Academy of Sciences*, 109, 10693-10700.

Mettke-Hofmann, C. (2017). Avian movements in a modern world: cognitive challenges. *Animal cognition*, 20(1), 77-86.

Ramos, A., Petit, O., Longour, P., Pasquaretta, C., & Sueur, C. (2015). Collective decision making during group movements in European bison, *Bison bonasus*. *Animal Behaviour*, 109, 149-160.

Cronin et al. (2017), Studying primate cognition in a social setting to improve validity and welfare: a literature review highlighting successful approaches. *PeerJ* 5: e3649; DOI10.7717/peerj.3649

Destrezas espaciales de los primates y mapas cognitivos / Primate spatial skills and cognitive maps

Asensio, N., Brockelman, W. Y., Malaivijitnond, S., & Reichard, U. H. (2011). Gibbon travel paths are goal oriented. *Animal Cognition*, 14(3), 395-405.

Ban, S. D., Boesch, C., & Janmaat, K. R. (2014). Tai chimpanzees anticipate revisiting high-valued fruit trees from further distances. *Animal cognition*, 17(6), 1353-1364.

Ban, S. D., Boesch, C., N'Guessan, A., N'Goran, E. K., Tako, A., & Janmaat, K. R. (2016). Tai chimpanzees change their travel direction for rare feeding trees providing fatty fruits. *Animal Behaviour*, 118, 135-147.

Byrne, R. W., Noser, R., Bates, L. A., & Jupp, P. E. (2009). How did they get here from there? Detecting changes of direction in terrestrial ranging. *Animal Behaviour*, 77(3), 619-631.

Cunningham, E., & Janson, C. (2007). Integrating information about location and value of resources by white-faced saki monkeys (*Pithecia pithecia*). *Animal cognition*, 10(3), 293-304.

DeCasien, A. R., Williams, S. A., & Higham, J. P. (2017). Primate brain size is predicted by diet but not sociality. *Nature Ecology and Evolution*, 1, 0112.

Di Fiore, A., & Suarez, S. A. (2007). Route-based travel and shared routes in sympatric spider and woolly monkeys: cognitive and evolutionary implications. *Animal cognition*, 10(3), 317-329.

Erhart, E. M., & Overdorff, D. J. (2008). Spatial memory during foraging in prosimian primates: *Propithecus edwardsi* and *Eulemur fulvus rufus*. *Folia Primatologica*, 79(4), 185.

Fortes, V. B., Bicca-Marques, J. C., Urbani, B., Fernández, V. A., & da Silva Pereira, T. (2015). Ranging Behavior and Spatial Cognition of Howler Monkeys. 219-255. In *Howler Monkeys*.

Kowaleski, M., Garber, P. A., Cortés-Ortiz, L., Urbani, B. & Youlatos, D. (ed) Springer, New York, US.

Garber, P. A. (1989). Role of spatial memory in primate foraging patterns: *Saguinus mystax* and *Saguinus fuscicollis*. *American Journal of Primatology*, 19(4), 203-216.

Garber, P. A. (2000). Evidence for the use of spatial, temporal, and social information by some primate foragers. 261-298. *On the move: how and why animals travel in groups*. Boinski, S. & Garber, P.A. (ed) University of Chicago Press, Chicago.

Hribar, A., Haun, D., & Call, J. (2011). Great apes' strategies to map spatial relations. *Animal Cognition*, 14(4), 511-523.

- Janson, C. H. (2007). Experimental evidence for route integration and strategic planning in wild capuchin monkeys. *Animal cognition*, 10(3), 341-356.
- Janson, C. H., & Byrne, R. (2007). What wild primates know about resources: opening up the black box. *Animal cognition*, 10(3), 357-367.
- Janmaat, K. R., Ban, S. D., & Boesch, C. (2013). Chimpanzees use long-term spatial memory to monitor large fruit trees and remember feeding experiences across seasons. *Animal Behaviour*, 86(6), 1183-1205.
- Janmaat, K. R., Byrne, R. W., & Zuberbühler, K. (2006a). Evidence for a spatial memory of fruiting states of rainforest trees in wild mangabeys. *Animal Behaviour*, 72(4), 797-807.
- Janmaat, K. R., Byrne, R. W., & Zuberbühler, K. (2006b). Primates take weather into account when searching for fruits. *Current Biology*, 16(12), 1232-1237.
- Janmaat, K. R., Chapman, C. A., Meijer, R., & Zuberbühler, K. (2012). The use of fruiting synchrony by foraging mangabey monkeys: a 'simple tool' to find fruit. *Animal cognition*, 15(1), 83-96.
- Janmaat, K. R., Polansky, L., Ban, S. D., & Boesch, C. (2014). Wild chimpanzees plan their breakfast time, type, and location. *Proceedings of the National Academy of Sciences*, 111(46), 16343-16348.
- Neumann, C., & Zuberbühler, K. (2016). Vocal correlates of individual sooty mangabey travel speed and direction. *PeerJ*, 4, e2298.
- Normand, E., & Boesch, C. (2009). Sophisticated Euclidean maps in forest chimpanzees. *Animal Behaviour*, 77(5), 1195-1201.
- Noser, R., & Byrne, R. W. (2007). Mental maps in chacma baboons (*Papio ursinus*): using inter-group encounters as a natural experiment. *Animal cognition*, 10(3), 331-340.
- Noser, R., & Byrne, R. W. (2014). Change point analysis of travel routes reveals novel insights into foraging strategies and cognitive maps of wild baboons. *American journal of Primatology*, 76(5), 399-409.
- Porter, L. M., & Garber, P. A. (2013). Foraging and spatial memory in wild weddell's saddleback tamarins (*Saguinus fuscicollis weddelli*) when moving between distant and out-of-sight goals. *International Journal of Primatology*, 34(1), 30-48.
- Presotto, A., & Izar, P. (2010). Spatial reference of black capuchin monkeys in Brazilian Atlantic Forest: egocentric or allocentric? *Animal Behaviour*, 80(1), 125-132.
- Tujague, M. P., & Janson, C. H. (2017). Wild capuchin monkeys anticipate the amount of ripe fruit in natural trees. *Animal Cognition*, 20(5), 841-853.
- Zuberbühler, K., & Janmaat, K. R. L. (2010). Foraging cognition in non-human primates. 64-83. In *Primate neuroethology*. Platt, M. & Ghazanfar, A. A. (ed) Oxford University Press, New York, US.

Distribucion heterogenea de fuentes alimenticias en la selva / Rainforest heterogeneous distribution of feeding sources

- Chapman, C. A., Chapman, L. J., Wrangham, R., Isaburye-Basuta, G., & Ben-David, K. (1997). Spatial and temporal variability in the structure of a tropical forest. *African Journal of Ecology*, 35(4), 287-302.
- Janmaat, K. R., Boesch, C., Byrne, R., Chapman, C. A., Bi, G., Zoro, B., Head, J. S., Robbins, M. M., Wrangham, R. W. & Polansky, L. (2016). Spatio-temporal complexity of chimpanzee food: How cognitive adaptations can counteract the ephemeral nature of ripe fruit. *American journal of primatology*, 78(6), 626-645.
- Madden, D., Garber, P. A., Madden, S. L., & Snyder, C. A. (2010). Rain-forest canopy-connectivity and habitat selection by a small neotropical primate, Geoffroy's tamarin (*Saguinus geoffroyi*). *Journal of Tropical Ecology*, 26(6), 637-644.

McLean, K. A., Trainor, A. M., Asner, G. P., Crofoot, M. C., Hopkins, M. E., Campbell, C. J., & Jansen, P. A. (2016). Movement patterns of three arboreal primates in a Neotropical moist forest explained by LiDAR-estimated canopy structure. *Landscape ecology*, 31(8), 1849-1862.

van Schaik, C. P., Terborgh, J. W., & Wright, S. J. (1993). The phenology of tropical forests: adaptive significance and consequences for primary consumers. *Annual Review of ecology and Systematics*, 24, 353-377.

Ecología nutricional y movimientos en el hábitat por monos aulladores / nutritional ecology and ranging patterns in howler monkeys

Amato, K. R., & Garber, P. A. (2014). Nutrition and foraging strategies of the black howler monkey (*Alouatta pigra*) in Palenque National Park, Mexico. *American journal of primatology*, 76(8), 774-787.

Amato, K. R., Ulanov, A., Ju, K. S., & Garber, P. A. (2017). Metabolomic data suggest regulation of black howler monkey (*Alouatta pigra*) diet composition at the molecular level. *American journal of primatology*, 79(4), 1-10.

Estrada, A., & Coates-Estrada, R. (1984). Fruit eating and seed dispersal by howling monkeys (*Alouatta palliata*) in the tropical rain forest of Los Tuxtlas, Mexico. *American Journal of Primatology*, 6(2), 77-91.

Hopkins, M. E. (2011). Mantled howler (*Alouatta palliata*) arboreal pathway networks: relative impacts of resource availability and forest structure. *International journal of primatology*, 32(1), 238-258.

Hopkins, M. E. (2013). Relative dominance and resource availability mediate mantled howler (*Alouatta palliata*) spatial responses to neighbor's loud calls. *International Journal of Primatology*, 34(5), 1032-1054.

Hopkins, M. E. (2016). Mantled howler monkey spatial foraging decisions reflect spatial and temporal knowledge of resource distributions. *Animal cognition*, 19(2), 387-403.

Knopff, K. H., & Pavelka, M. S. (2006). Feeding competition and group size in *Alouatta pigra*. *International journal of primatology*, 27(4), 1059-1078.

Martínez-Mota, R., Valdespino, C., Sánchez-Ramos, M. A., & Serio-Silva, J. C. (2007). Effects of forest fragmentation on the physiological stress response of black howler monkeys. *Animal Conservation*, 10(3), 374-379.

Melin, A. D., Khetpal, V., Matsushita, Y., Zhou, K., Campos, F. A., Welker, B., & Kawamura, S. (2017). Howler monkey foraging ecology suggests convergent evolution of routine trichromacy as an adaptation for folivory. *Ecology and evolution*, 7(5), 1421-1434.

Plante, S., Colchero, F., & Calmé, S. (2014). Foraging strategy of a neotropical primate: how intrinsic and extrinsic factors influence destination and residence time. *Journal of Animal Ecology*, 83(1), 116-125.

Rivera, A., & Calmé, S. (2006). Forest fragmentation and its effects on the feeding ecology of black howlers (*Alouatta pigra*) from the Calakmul area in Mexico. 189-213. In *New perspectives in the study of Mesoamerican primates: Distribution, Ecology, Behaviour and Conservation*.

Estrada, A., Garber, P. A., Pavelka, M. S. M. & Luecke, L. (ed) Springer, New York, US.

Van Belle, S., Estrada, A., & Garber, P. A. (2013). Collective group movement and leadership in wild black howler monkeys (*Alouatta pigra*). *Behavioral Ecology and Sociobiology*, 67(1), 31-41.

Estudios en el Parque Nacional Palenque / Studies at Palenque National Park

Briseño-Jaramillo, M., Estrada, A., & Lemasson, A. (2015a). Individual voice recognition and an auditory map of neighbours in free-ranging black howler monkeys (*Alouatta pigra*). *Behavioral Ecology and Sociobiology*, 69(1), 13-25.

Briseño-Jaramillo, M., Estrada, A., & Lemasson, A. (2015b). Behavioural innovation and cultural transmission of communication signal in black howler monkeys. *Nature: Scientific reports*, 5, 13.400.

- Briseño-Jaramillo, M., Biquand, V., Estrada, A., & Lemasson, A. (2017). Vocal repertoire of free-ranging black howler monkeys' (*Alouatta pigra*): Call types, contexts, and sex-related contributions. *American journal of primatology*, 79(5).
- Díaz-Gallegos, J. R. (1996). *Estructura y composición florística del Parque Nacional Zona Arqueológica de Palenque, Chiapas, Mexico*. Ph.D Thesis, Universidad Juárez Autónoma de Tabasco, Mexico.
- Estrada, A., Castellanos, L., Garcia, Y., Franco, B., Muñoz, D., Ibarra, A., Rivera, A., Fuentes, E. & Jimenez, C. (2002a). Survey of the black howler monkey, *Alouatta pigra*, population at the Mayan site of Palenque, Chiapas, Mexico. *Primates*, 43(1), 51-58.
- Estrada, A., Mendoza, A., Castellanos, L., Pacheco, R., Van Belle, S., García, Y., & Muñoz, D. (2002b). Population of the black howler monkey (*Alouatta pigra*) in a fragmented landscape in Palenque, Chiapas, Mexico. *American Journal of Primatology*, 58(2), 45-55.
- Van Belle, S., & Estrada, A. (2008). Group size and composition influence male and female reproductive success in black howler monkeys (*Alouattampigra*). *American Journal of Primatology*, 70(6), 613-619.
- Van Belle, S., Estrada, A., & Di Fiore, A. (2014a). Kin-biased spatial associations and social interactions in male and female black howler monkeys (*Alouatta pigra*). *Behaviour*, 151(14), 2029-2057.
- Van Belle, S., Estrada, A., & Garber, P. A. (2014b). The function of loud calls in black howler monkeys (*Alouatta pigra*): Food, mate, or infant defense? *American journal of Primatology*, 76(12), 1196-1206.
- Van Belle, S., Estrada, A., & Strier, K. B. (2011). Insights into social relationships among female black howler monkeys *Alouatta pigra* at Palenque National Park, Mexico. *Current Zoology*, 57, 1-7.
- Van Belle, S., Estrada, A., Strier, K. B., & Di Fiore, A. (2012). Genetic structure and kinship patterns in a population of black howler monkeys, *Alouatta pigra*, at Palenque National Park, Mexico. *American journal of primatology*, 74(10), 948- 957.
- Van Belle, S., Estrada, A., Ziegler, T. E., & Strier, K. B. (2009). Sexual behavior across ovarian cycles in wild black howler monkeys (*Alouatta pigra*): male mate guarding and female mate choice. *American Journal of Primatology*, 71(2), 153-164.
- Van Belle, S., Kulp, A. E., Thiessen-Bock, R., Garcia, M., & Estrada, A. (2010). Observed infanticides following a male immigration event in black howler monkeys, *Alouatta pigra*, at Palenque National Park, Mexico. *Primates*, 51(4), 279-284.

Video clips:

Navegacion en hormigas / Navigation in ants

<https://www.youtube.com/watch?v=OavY1onkRxA>